

389-DS LDAP management

Er zijn een aantal manieren om de LDAP server te beheren.


de eerste is met de management interface op de server zelf, de andere is met een externe tool.

de eigen 389-console

Start de console door:


389-console

log in de console in als admin met het bij de installatie ingestelde password, en ga naar **Directory Server(servernaam)** en druk op Open.



organisatie, groups en users toevoegen


Eenmaal daar kies het tabblad directory, en rechts klik op je domain, in dit voorbeeld **auriel** en in het pulldown menu kies New > en vervolgens Organizational Unit...




vul de naam en eventueel een omschrijving in:

The screenshot shows the 'Create New Organizational Unit (on cratus.auriel.nl)' dialog box. It has a title bar with a close button. On the left, there is a sidebar with 'Unit' and 'Languages'. The main area contains the following fields: '* Name:' with the value 'auriel-nederland', 'Description:' with the value 'gebruikers in nederland', 'Phone:', 'Fax:', 'Alias:', and 'Address:'. Below these fields is a note: '* Indicates a required field'. At the bottom, there are four buttons: 'Advanced...', 'OK', 'Cancel', and 'Help'.

vervolgens maak je in die OU een groep aan door rechts te klikken en in het pulldown menu kies New > en vervolgens Group..., vul een naam in:



Die groep zie je vervolgens in de OU, maak nu in die groep een user aan door rechts te cliken en in het pulldown menu kies New > en vervolgens User...,



en vul in:

The screenshot shows the 'Create New User (on cratus.auriel.nl)' dialog box. On the left is a sidebar with a tree view containing 'User', 'Languages', 'NTUser', 'PosixUser', and 'Account'. The 'User' item is selected. The main area contains several text input fields: '* First Name:' with 'test', '* Last Name:' with 'user', '* Common Name(s):' with 'test user', 'UserID:' with 'tuser', 'Password:' with '*****', 'Confirm Password:' with '*****', 'E-Mail:' with 'test@auriel.nl' (with a hint '(e.g., user@company.com)'), 'Phone:', and 'Fax:'. There is a note '* Indicates a required field'. At the bottom are buttons for 'Advanced...', 'OK', 'Cancel', and 'Help'. In the top right corner, there are labels for 'Phone:' and 'Fax:'.

Vergeet niet voor de unix clients de posix gegevens in te vullen:

The screenshot shows the 'Edit Entry (on cratus.auriel.nl)' dialog box for the entry 'test user'. The sidebar on the left has the same tree view, but 'PosixUser' is now selected. The main area contains a checkbox 'Enable Posix User Attributes' which is checked. Below it are text input fields: '* UID Number:' with '1001', '* GID Number:' with '1001', '* Home Directory:' with '/home/tuser', 'Login Shell:' with '/bin/bash', and 'Gecos:'. The note '* Indicates a required field' is present. At the bottom are buttons for 'Advanced...', 'OK', 'Cancel', and 'Help'. In the top right corner, there are labels for 'Phone:' and 'Fax:'.

Apache Directory Studio

Download de laatste versie naar je desktop van :

<https://directory.apache.org/studio/download/download-windows.html>

en installeer volgens de instructies.

Andere mogelijkheden

GOsa²

Niet heel erg intuïtief, maar dat zijn de andere opties ook niet. Wel kan er erg veel met GOsa², misschien iets te veel. Zeg maar wat ook een probleem van zarafa en zimbra en zo is.

phpLDAPAdmin

Een in php geschreven webinterface.

Bronnen

<http://www.unixmen.com/manage-389-directory-server-graphically-using-389-management-console/>

From:
<https://wiki.auriel.nl/> -

Permanent link:
https://wiki.auriel.nl/doku.php?id=werkinstructies:389-ds_management&rev=1450095072



Last update: **2015/12/14 13:11**