

389-DS LDAP management

Er zijn een aantal manieren om de LDAP server te beheren.


de eerste is met de management interface op de server zelf, de andere is met een externe tool.

de eigen 389-console

Start de console door:


389-console

log in de console in als admin met het bij de installatie ingestelde password, en ga naar **Directory Server(servernaam)** en druk op **O**pen.



organisatie, groups en users toevoegen


Eenmaal daar kies het tabblad directory, en rechts klik op je domain, in dit voorbeeld **auriel** en in het pulldown menu kies **New >** en vervolgens **Organizational Unit...**




vul de naam en eventueel een omschrijving in:

The screenshot shows the 'Create New Organizational Unit (on cratus.auriel.nl)' dialog box. It has a sidebar on the left with 'Unit' and 'Languages'. The main area contains form fields for: '* Name:' (filled with 'auriel-nederland'), 'Description:' (filled with 'gebruikers in nederland'), 'Phone:', 'Fax:', 'Alias:', and 'Address:'. A note at the bottom states '* Indicates a required field'. At the bottom of the dialog are buttons for 'Advanced...', 'OK', 'Cancel', and 'Help'.

vervolgens maak je in die OU een groep aan door rechts te klikken en in het pulldown menu kies New > en vervolgens Group..., vul een naam in:



Die groep zie je vervolgens in de OU, maak nu in die groep een user aan door rechts te cliken en in het pulldown menu kies New > en vervolgens User...,



en vul in:

The screenshot shows the 'Create New User (on cratus.auriel.nl)' dialog box. On the left is a sidebar with a tree view containing 'User', 'Languages', 'NTUser', 'PosixUser', and 'Account'. The 'User' item is selected. The main area contains several text input fields: '* First Name:' (filled with 'test'), '* Last Name:' (filled with 'user'), '* Common Name(s):' (filled with 'test user'), 'UserID:' (filled with 'tuser'), 'Password:' (filled with seven asterisks), 'Confirm Password:' (filled with seven asterisks), 'E-Mail:' (filled with 'test@auriel.nl'), 'Phone:', and 'Fax:'. A note '* Indicates a required field' is at the bottom of the main area. At the bottom of the dialog are four buttons: 'Advanced...', 'OK', 'Cancel', and 'Help'. In the top right corner, there are labels for 'Phone:' and 'Fax:' next to a red close button.

Vergeet niet voor de unix clients de posix gegevens in te vullen:

The screenshot shows the 'Edit Entry (on cratus.auriel.nl)' dialog box for the entry 'test user'. The left sidebar is the same as in the previous screenshot, but 'PosixUser' is now selected. The main area contains a checkbox labeled 'Enable Posix User Attributes' which is checked. Below it are text input fields: '* UID Number:' (filled with '1001'), '* GID Number:' (filled with '1001'), '* Home Directory:' (filled with '/home/tuser'), 'Login Shell:' (filled with '/bin/bash'), and 'Gecos:'. The same note '* Indicates a required field' is present. At the bottom are the 'Advanced...', 'OK', 'Cancel', and 'Help' buttons. The top right corner shows the entry name 'test user' and labels for 'Phone:' and 'Fax:' next to a red close button.

Apache Directory Studio

Download de laatste versie naar je desktop van :

<https://directory.apache.org/studio/download/download-windows.html>

en installeer volgens de instructies.

Andere mogelijkheden

GOsa²

Niet heel erg intuïtief, maar dat zijn de andere opties ook niet. Wel kan er erg veel met GOsa², misschien iets te veel. Zeg maar wat ook een probleem van zarafa en zimbra en zo is.

phpLDAPAdmin

Een in php geschreven webinterface.

Bronnen

<http://www.unixmen.com/manage-389-directory-server-graphically-using-389-management-console/>

From:
<https://wiki.auriel.nl/> -

Permanent link:
https://wiki.auriel.nl/doku.php?id=werkinstructies:389-ds_management&rev=1450095100 

Last update: **2015/12/14 13:11**