

Filebeat Data overdracht herstarten vanaf een eerder moment

```
3.log", "offset": 2687084, "FileStateOS": {"inode": 5376357, "device": 64771}}, "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-14.log": {"source": "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-14.log", "offset": 2430752, "FileStateOS": {"inode": 5376376, "device": 64771}}, "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-15.log": {"source": "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-15.log", "offset": 2474377, "FileStateOS": {"inode": 5376400, "device": 64771}}, "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-16.log": {"source": "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-16.log", "offset": 2417372, "FileStateOS": {"inode": 5376407, "device": 64771}}, "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-17.log": {"source": "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-17.log", "offset": 2722408, "FileStateOS": {"inode": 5376392, "device": 64771}}, "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-18.log": {"source": "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-18.log", "offset": 3141147, "FileStateOS": {"inode": 5376428, "device": 64771}}, "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-19.log": {"source": "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-19.log", "offset": 2823749, "FileStateOS": {"inode": 5376361, "device": 64771}}, "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-20.log": {"source": "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-20.log", "offset": 3539179, "FileStateOS": {"inode": 5376430, "device": 64771}}, "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-21.log": {"source": "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-21.log", "offset": 2982598, "FileStateOS": {"inode": 5376462, "device": 64771}}, "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-22.log": {"source": "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-22.log", "offset": 2624898, "FileStateOS": {"inode": 5376528, "device": 64771}}, "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-23.log": {"source": "/opt/think/log/TA/node01/jboss/localhost_access_log.2016-12-23.log", "offset": 3028418, "FileStateOS": {"inode": 5376492, "device": 64771}}}
```

Maar de basis opmaak is dus:

```
{  "/var/log/localhost_access_log.2016-10-14.log":  
{"source": "/var/log/localhost_access_log.2016-10-14.log", "offset": 2750260, "FileStateOS":  
  {"inode": 3410337, "device": 64771}}  
  ,  
  "/var/log/localhost_access_log.2016-10-15.log":  
{"source": "/var/log/localhost_access_log.2016-10-15.log", "offset": 2960699, "FileStateOS":  
  {"inode": 3410511, "device": 64771}}  
  ,  
  "/var/log/localhost_access_log.2017-02-10.log":  
{"source": "/var/log/localhost_access_log.2017-02-10.log", "offset": 308034, "FileStateOS":  
  {"inode": 3410407, "device": 64771}}
```

```
}
```

Dus de laatste accolade laten staan en de voorgaande comma ook verwijderen.

Vervolgens is het belangrijk om te checken in de file `/etc/filebeat/filebeat.yml` of de waarden voor `ignore_old`: 51h en `close_old`: 50h wijd genoeg staan om de files opnieuw in te lezen. Overigens moet `ignore_old` groter zijn dan `close_old`.

afronden

Start logstash op de ELK server: `service logstash start`

en start filebeat op de betreffende clients: `service filebeat start`

From:

<https://wiki.auriel.nl/> -

Permanent link:

https://wiki.auriel.nl/doku.php?id=werkinstructies:herstart_filebeat_vanaf_eerdere_dag 

Last update: **2017/02/10 12:06**